



Lic. No. AZ0003

18 June 2019

Ms. Debbie Tribioli
The Oasis at Anozira
c/o Kinney Management Services
6303 South Rural Road
Tempe, Arizona 85283


Ref: Oasis Lake, May 2019

Dear Ms. Tribioli:

The following report summarizes water quality data collected for Oasis Lake on 08 May 2019. Similar data have been reported each month and are used in this report to generate the graphs that are used for tracking changes in water quality. The report includes field data sheets summarizing weekly lake and mechanical system conditions during the month.

## Chemical and Physical Composition

**Temperature, Oxygen, and pH**: Water temperature increased to 25.3 C (78 F) and the dissolved oxygen concentration was over 100 percent saturation (8.3 mg/L). Despite issues with the aeration system, the operation of the floating fountains helped maintain dissolved oxygen at a level that was more than satisfactory for the fishery.




The table below shows the USEPA criteria for dissolved oxygen in warm water fisheries.

Criterion	Early life stages	Other life stages
Daily mean	>6.0	>4.0
Daily minimum	>5.0	>3.0

Water temperature tolerance varies among fish species. However, the maximum weekly temperature tolerance of most common urban lake fish species is 32 to 35 C.


**Turbidity**: The turbidity of the lake water continued to decrease (4.0 NTU). The decrease is attributed to decreased algae density. Water turbidity is also impacted by dissolved and particulate matter in the water, including storm water runoff and dye that is periodically added for algae and weed management. As turbidity increases, clarity decreases.



**pH:** The lake water pH steadily increased during the month, ranging from 8.3 to 9.0 SU. Water pH is influenced by the chemical makeup of the water and the amount of algae in the lake. In a very simplified explanation for the role of algae, carbonic acid in the water is formed from dissolution of carbon dioxide. Carbonic acid tends to make the water more acidic and pH

decreases. However, algae utilize carbon dioxide during photosynthesis during daylight, making less carbon dioxide available to form carbonic acid, and pH increases. The more algae present, the greater the increase in pH that usually occurs. Data indicate that increasing water temperatures supported additional algae growth through the end of the month.


High pH can be problematic in terms of toxicity if high concentrations of ammonia are present in the water. Ammonia is in equilibrium between two forms; ammonium ion and ammonia gas. At pH




concentrations above 9.0 SU and a water temperature increases, ammonia converts to the gas which is toxic to many aquatic organisms. At the measured water temperatures and most frequently measured pH values, toxicity would not be expected to occur. No signs of fish stress were observed.

**Nutrients:** Nitrogen and phosphorus are the primary nutrients that stimulate algae and submerged plant growth. Phosphorus is typically the nutrient that dictates how much plant growth can be sustained in a lake. Usually if the total phosphorus concentration is below 0.030 mg/L, low levels of suspended algae occur. A nitrogen concentration of about 10 times the phosphorus (0.30 m/L) is typically needed to support algal growth.

The phosphorus concentration decreased to 0.020 mg/L as P. The total nitrogen concentration also decreased slightly to 1.16 mg/L as N. Nitrate, immediately available to algal cells, was at a concentration of 0.06 mg/L. Usually a change in nutrient concentrations is reflected in changes in algae growth and density. In this case, a decrease in algae density did occur at the time of sampling in response to decreased nutrient availability.






### **Biological Composition**

**Phytoplankton (algae)**: The amount and types of algae in a lake dictate the aesthetic and operational quality of the water. Algae density affects the clarity and color of the water, two very important aesthetic criteria. The species composition dictates the form of growth observed; floating mats, suspended cells, stringy attached filaments, etc. It also impacts the choice, frequency, and dosage of herbicides used for water quality management.

# 2016-2019 Algae Density (log-cells/mL)



The total algae density in the lake decreased slightly to  $1.83 \times 10^4$  cells per mL, a density considered moderate for an urban reservoir in metro-Phoenix. Green colonial algae (*Scenedesmus*) became the dominant form. Problematic blue-green filamentous algae were absent. Lake dye was added during the month to reduce algae growth.

Tests conducted through the month indicated no further presence of golden algae. The golden alga (*Prymnesium parvum*), produces toxins that rupture unprotected cells. The toxin release is believed to benefit golden algae by killing other species of algae, thereby making resources (nutrients) more available to the golden algae population. Unfortunately, the cells of fish gills are also unprotected because that is where oxygen absorption occurs. Thus, the toxin also results in asphyxiation of fish. Susceptibility to the toxin varies amongst fish species.





**Midge flies**: Midge flies are common inhabitants of most lakes. Adult females lay hundreds of eggs on the water surface. The eggs settle to the lake bottom and hatch in a few days. Larvae develop and grow in the superficial sediments over a three to four week period. In about 30 days the insect larvae become pupae, rise in the water column, and emerge as adult flies. The life cycle is shown diagrammatically below. Adults tend to swarm at dusk and dawn and

become a nuisance. They fly into residents' eyes and mouths, congregate under eaves of houses, and leave a sticky messy residue when they die. Management techniques may include stocking of bottom-feeding fishes to consume the larvae and/or application of bacterial or chemical larvicides. Because these fish have not been stocked for three years or more, a maintenance stocking of goldfish or sunfish is recommended.







Although water temperatures increased, few adult midge flies were detected during the month.

**Fishery:** No significant loss of fish occurred during the month.

**Waterfowl:** Ducks and geese can be a beautiful sight on a small urban pond or lake. They seem to make the lake look more like a natural lake than an artificial reservoir. They are fascinating creatures. However, when ducks and geese become too numerous, several lake management and aesthetic problems can develop. These problems are listed below.

- Bird wastes are unattractive and cause slippery conditions.
- Cleaning waste from sidewalks and turf is an additional maintenance item.
- Geese and other waterfowl can become aggressive toward humans.
- Waterfowl can damage turf areas.
- Waterfowl add nitrogen and phosphorus to the water.
- Bird wastes contain bacteria that are a health risk to humans and pets.
- Diving birds consume fish that are stocked in the lack for management purposes.

Arizona Game and Fish Department has developed the following criteria for waterfowl on small urban lakes.

Excellent	<3/acre
Good	3-4/acre
Fair	5-6/acre
Poor	>6/acre

Based on the Arizona Game & Fish Department scale, the lake condition in terms of waterfowl has been in the "good to excellent" category from late summer through spring. Cormorants were rarely observed during the month and Canada geese numbers appear to be approaching zero. Cormorants are diving birds that feed on small fish. Canada geese destroy turf and, along with other birds, contribute fecal matter to the common areas and water.





In terms of public health protection, the *E. coli* bacteria concentration was low (17 per 100 mL) and met the State full body contact (swimming) standard (maximum of 235 per 100 mL) and the incidental or partial body contact standard (maximum of 575 per 100 mL).


### Mechanical Systems and Field Observations

Weekly field inspection forms are attached to this report. Wearable components had been replaced in both air compressors for the aeration system. Although the compressors operated normally with the new components and generated air flow, the diffusers did not operate (no observable rising of air bubbles in the lake). All lines in the pump room and around the lake were inspected for leaks. No major air loss was detected. Closing several airlines did not generate sufficient air volume to produce an up-flow in the remaining lines. All diffuser membranes were then manually cleaned with no change in operation. The compressors were taken out of service to prevent over-heating. Replacement of the diffusers or the entire system, or installation of an alternate system is being considered.

An endothall-based algaecide was applied weekly to the three entry fountains.

### **Lake Report Card**

The water quality data are summarized on the attached Oasis Lake Report Card. Each salient parameter has been qualitatively evaluated and then assigned a numeric value for quantitative comparison and tracking purposes. The May score was 47, a significant increase compared to the score of 42 for April 2019. Decreased phosphorus concentration and turbidity, along with the change in algae composition were the primary reasons for the higher report card score.



Report card scores for the past three years have been graphically summarized above. Data still indicate a somewhat cyclic pattern and a long-term overall increasing trend in score.

Respectfully,

AQUATIC CONSULTING & TESTING, INC.

Frederick A. Amalfi, Ph.D., C.L.M. Laboratory Director



# **OASIS LAKE REPORT CARD**

May-19 CONDITION GOOD Apr-19 CONDITION GOOD PREVIOUS EVALUATION: DATE OF EVALUATION:

42

SCORE

SCORE

	SCORE	4	4	2	4	4	4	4	2	4	4	က	4	4
1 pt	POOR	>20	<4.0	>2.0	>0.10	>5 x 10 <sup>5</sup>	blue-greens; floating mats common	>20%	>9.0	>125	significant nuisances	>10	fish piping common; fish kills common	most of lake shore covered with crusts or scums
2 pts	FAIR	11-20	4.0-5.5	1.1-2.0	0.06-0.10	$1 \times 10^5 - 5 \times 10^6$	blue-greens; no floating mats	11-20%	8.6-9.0	81-125	moderate nuisances	6-10	fish piping before dawn; occasional fish kills	numerous patches of salt deposits and algae scums
3 pts	GOOD	5-10	5.6-6.9	0.5-1.0	0.03-0.05	5x10 <sup>4</sup> - 9x10 <sup>4</sup>	diatoms; no floating mats	<10%	8.0-8.5	21-80	minor nuisances	2-5	some fish piping, gulping; no fish kills	some white deposits and scums
4 pts	EXCELLENT	<5	>7.0	<0.5	<0.03	<5 × 10 <sup>4</sup>	greens; no floating mats	none	6.5-8.0	<20	no nuisances	<2	no fish piping; no fish kills	no evidence of salt crusts or algal scums
	RATIONALE	aesthetics	aquatic life, sediment nutrient release, odors	algae and macrophyte growth	algae and macrophyte growth	aesthetics	aesthetics, treatability	aesthetics, boating	swimming, fishery, ammonia toxicity	public health protection	quality of life	nutrient and bacteria loading	recreation, aesthetics	aesthetics
	RESULT	4.0	1.16 0.020 1.83 x 10 <sup>4</sup>		green colony	<b>~</b>	8.3-9.0	17	no nuisances	2	normal	limited edge growths		
	CONDITION	Turbidity (NTU)	Dissolved oxygen (mg/L)	Nitrogen, total (mg/L)	Phosphorus, total (mg/L)	Algae density (no./mL)	Algae form (dominant)	Macrophytes (% cover)	pH (SU) avg.	E. coli bacteria (#/100 mL) avg.	Midge flies	Waterfowl (no. per acre)	Fishery	Shoreline/banks

SCORING KEY:

Poor	<30
Fair	30-35
Good	36-41
Excellent	42-48

# Definitions: Ratings

Excellent: Lake aesthetic and operational conditions above level of expectation.

Good: Lake aesthetic and operational conditions at le level of expectation. Fair: Lake aesthetic and operational conditions slightly below level of expectation.

Poor: Lake aesthetic and operational conditions considerably below level of expectation.

# Definitions: Terms

pH: -log hydrogen ion conc.; amount of acid in the water identified on scale 1-14; 1 being most acid, 7 neutral, and 14 being most caustic. Piping: Act of fish coming to surface of water and capturing a bubble of air in their mouth; a sign of low oxygen concentrations. N/A: not applicable; insufficient data or too early in development of lake (an arbitrary 3 rating is provided for these items). Macrophyte: Large plant, observable without the aid of a microscope, that may be floating, submerged or emergent. Midge: Small, flying, non-biting "gnat-like" insect whose larval stage exists in the lake sediments (bloodworm) Phytoplankton (algae): Microscopic plant fraction of the plankton community.

Plankton: Organisms of relatively small size that have relatively small powers of locomotion or that drift in the water. Turbidity: Degree to which particles and color in the water scatter light; the "cloudiness" of the water.





# FIELD INSPECTION FORMS



**PESTICIDE APPLICATION DOCUMENTS (none)** 





1525 W. University Drive, Suite 106
P.O. Box 1510
Tempe, Arizona 85281

Phone: (480) 921-8044 • Fax: (480) 921-0049

Lic. No. AZ0003

# LABORATORY REPORT

Client: Oasis at Anozira

c/o Kinney Management Services

6303 S. Rural Road Tempe, Arizona 85283

Attn: Debbie Tribioli

Date Submitted: 05/08/19

Date Reported: 06/17/19

**Project: Monthly Lake Monitoring** 

### **RESULTS**

Client ID: Lake Sample Type: Surface Water ACT Lab No.: CB04173 Sample Time: 05/08/19 12:10

Analysis Date					
Parameter	Start	_End_	Method No.	Result	<u>Unit</u>
Algae Count	05/15/19	05/15/19	SM 10200 F	See Attached	cells/mL
Algae Identification	05/15/19	05/15/19		See Attached	
Golden Algae	05/08/19	05/08/19	P/C Microscopy	Absent	Pres/Abs
Oxygen, Dissolved Field	05/08/19	05/08/19	SM4500 O G	8.3	mg/L as O2
pH, Field	05/08/19	05/08/19	SM4500H+ B	7.6	SU
Temperature, Field	05/08/19	05/08/19	SM2550 B	25.3	С
Nitrate + Nitrite - N	05/24/19	05/24/19	SM4500NO3 E	0.06	mg/L as N
Phosphorus, Total	06/10/19	06/11/19	365.3	0.020	mg/L as P
Total Kjeldahl Nitrogen	05/14/19	05/14/19	SMNorg C,NH3 C/D	1.1	mg/L as N
E. coli, Colilert	05/08/19	05/09/19	SM 9223 B	17	MPN/100 mL
Turbidity	05/08/19	05/08/19	180.1	4.0	NTU

Reviewed by:

Frederick A. Amalfi, Ph.D.

**Laboratory Director** 

# **ALGAE IDENTIFICATION**

AC&T Lab No.	CB04173	Date Collected	05/06/19
Client I.D.	Oasis at Anozira	Collected By	AC&T

Divisions: bac=Bacillariophyta; chl=Chlorophyta; cry=Chrysophyta; cyn=Cyanophyta; eug=Euglenophyta; hap=Haptophyta; pyr=Pyrrhophyta Forms: u=unicell; c=colony; f=filament; g= flagellate

	Div	Rel.	Total			Div	Rel.	Total	
Genus	Form	Count	per mL	Comp.	Genus	Form	Count	per mL.	Comp
Achnanthes	bac-u				Microcystis	cyn-c			
Anabaena	cyn-f				Microspora	chl-f			
Ankistrodesmus	chl-u	31	2917	15.98%	Mougeotia	chl-f			
Aphanocapsa	cyn-c				Navicula	bac-u	7	659	3.61%
Asterionella	bac-c				Nitzschia	bac-u			
Botryococcus	chl-c				Oocystis	chl-c			
Carteria	chl-ug				Oscillatoria	cyn-f			
Cephalomonas	chl-ug				Pandorina	chl-cg			
Ceratium	pyr-ug				Pediastrum	chl-c	32	3011	16.49%
Chlamydomonas	chl-ug				Peridinium	pyr-ug			
Chlorella	chl-u	10	941	5.15%	Phacotus	chl-ug			
Chlorococcum	chl-c				Phacus	chl-ug			
Chroococcus	cyn-c				Pinnularia	bac-u			
Chroomonas	crp-ug				Pithophora	chl-f			
Closterium	chl-u				Prymnesium	hap-ug			
Cocconeis	bac-u				Rhizoclonium	chl-f			
Coelastrum	chl-c				Rhoicosphenia	bac-u			
Cosmarium	chl-u	4	376	2.06%	Rhopalodia	bac-u			
Cosmocladium	chl-c				Scenedesmus	chl-c	84	7903	43.30%
Crucigenia	chl-c				Schroederia	chl-u			
Cryptomonas	crp-ug				Selanastrum	chl-u			
Cyclotella	bac-u				Sphaerocystis	chl-c			
Cymbella	bac-u				Spondylumorum	chl-c			
Denticula	bac-u				Spirulina	cyn-f			
Dinobryon	bac-c				Stauroneis	bac-u			
Dunaliella	chl-u				Stephanodiscus	bac-u			
Elakatothrix	chl-c				Stigeoclonium	chl-f			
Euglena	eug-ug				Surirella	bac-u			
Fragilaria	bac-u				Synechococcus	cyn-u			
Frustulia	bac-u				Synechocystis	cyn-c			
Glenodinium	pyr-ug				Synedra	bac-u	17	1599	8.76%
Golenkinia	chl-c	1	94	0.52%	Synura	cry-cg			
Gomphonema	bac-u				Tetraedron	chl-u	8	753	4.12%
Gonium	chl-cg				Tetrastrum	chl-c			
Gonyaulax	руг-ug				Trachelomonas	eug-ug			
Gyrosigma	bac-u				Vaucheria	chl-f			
Hydrodictyon	chl-c				Volvox	chl-cg			
Lyngbya	cyn-f				Zygnema	chl-f			
Melosira	bac-f								
Meridion	bac-u								
Merismopedia	cyn-c								

check 100.00%

Aquatic Consulting & Testing, Inc. 1525 W. University Dr., Suite 106 Tempe, Arizona 85281

Count (cells/mL)	1.83E+04	

Date: 5/1/10	FIEL Î	LD INSPECTION FORM ( wpdoc/lists&forms)
Ву: //		
<b>Aeration System</b>	Operation	Lake Surface
operational	Problem	□ Lake surface cleaning
Details:	1	
Floating Fountain	ns - West 1 East	☑ South
operational -	Problem Details:	
Pump house		□ leaks □ ventilation □ lighting Notes
Compressors	operational -	Problem Details: Bett Aerala Droblem
Pumps	operational 🗆	□ Problem Details:
Entry Fountains		1 1 1
Elliot North:	pperational 5 Screens	ns cleared □ Problem Details: Hydrotho
Elliot South:	perational D Screens	ns cleared Details: Hydrotho
Los Feliz: 🗆 🗷	perational Screens	ns cleared problem Details:
Monthly Chemist	ry & Biology	
Dissolved oxyge Dissolved oxyg	26.9 8.6 ount	W B S

/ .	pdoc/lists&forms)
Aeration System Operation	Lake Surface
□ operational ★ Problem  Details: 10+ Wolff Ny	□ Lake surface cleaning
Floating Fountains West East Source operational Problem Details:	
	ks □ ventilation □ lighting Notes
	em Details:
Pumps □ øperational □ Proble	em Details:
Entry Fountains	
Elliot North: perational perational screens cleared	ed 🗆 Problem Details:
Elliot South: operational Screens cleared  Los Feliz: operational Screens cleared	ed □ Problem Details:
Monthly Chemistry & Biology	
Dissolved oxygen  Temperature  pH  Algae ID and count  Ammonia-N  Organic N (TKN)  Phosphorus  Turbidity  E. coli  Golden algae (seasonal)	N B S

Date: 515 19  By:
Aeration System Operation  Details:  Lake Surface  Lake surface cleaning  Lake surface cleaning
Floating Fountains West Description East South  perational Details:
Pump house housekeeping   leaks   ventilation   lighting Notes  Compressors   operational   Problem Details:
Pumps operational operational Problem Details:
Elliot South: poperational poperational problem Details:
Los Feliz: operational Screens cleared Details:
Monthly Chemistry & Biology  Dissolved oxygen Temperature pH Algae ID and count Ammonia-N Organic N (TKN) Phosphorus Turbidity E coli Golden algae (seasonal)

Date: 5	/32/1a wpdo	c/lists&forms)
By:	Th	
	system Operation	Lake Surface
	nal Problem	□ Lake surface cleaning
Details:	terators out	
Floating Fo	ountains West East South	
□ ∠peration	nal 🛘 Problem Details:	
Pump hous	se ∮ housekeeping □ leaks	□ ventilation □ lighting Notes
•		
Compresso	rs operational □ Problem	Details:
Pumps	poperational problem	Details:
Enter Form		
Entry Foun		
Elliot North	n: poperational poscreens cleared	□ Problem Details:
Elliot South	h: perational Screens cleared	□ Problem Details:
	£	
Loo Foli-		<b>-</b>
Los Feliz:	operational - Screens cleared	□ Problem Details:
Monthly Ch	nemistry & Biology	
□ Dissolved	d. 9	图 雪原期间的现在分词
□ Temperal	700	THE WALL STATE
<b>p</b> H pH	8.8	
•	and count	N DEED
□ Ammonia □ Organic N	w -d	D-B POPULATION DELL'AND DELL'A
□ Phosphor		s The second second
□ Turbidity		
□ E. coli		
∰Golden al	lgae (seasonal)	

FIELD INSPECTION FORM (	
Date: 509 19 By:	
Aeration System Operation Lake Surface	
operational Problem Lake surface cleaning  Details: Being Repaired	
Floating Fountains West East - South	
perational problem Details:	
Pump house     Louisekeeping   leaks   ventilation   lighting Notes	
Compressors operational operational Details:	
Pumps operational   Problem Details:	
Entry Fountains	
Elliot North: perational Screens cleared Problem Details:	ligthol
Elliot South:   operational  Screens cleared  Problem Details:	
Los Feliz: perational screens cleared Problem Details:	
Monthly Chemistry & Biology	
Dissolved oxygen Temperature pH Algae ID and count Ammonia-N Organic N (TKN) Phosphorus Turbidity E. coli	
Golden algae (seasonal)	A



# AQUATIC CONSULTING & TESTING, INC. 1525 West University Drive, Suite 106 Tempe, Arizona 85281

Phone: 480-921-8044 Fax 480-921-0049

## PESTICIDE TREATMENT NOTICE & RECORD

Client: The Oasis at Anozira

Attn: Debbie Tribioli

The Oasis at Anozira

C/O Kinney Management Services

6303 South Rural Road

Tempe, Az 85283

Location: Entry features (May)

Date: 05-01-19 Time: 09:00 Conditions: X clear pt cloudy overcast cold X mild mild

Material:	Reg. No. (*restricted)	Tot. Qty:	Acres/Volume:
Hydrothol	4581-174	1 quart	0.03 Aft
Target Pest:	algae	Degree of infestation	n: low

Application method/calculations:

 $2.25 \text{ G/Aft} \times 0.03 \text{ Aft} = 0.0675 \text{ Gal} (0.5 \text{ pt})$ 

Dosage/rate 1.5 ppm Percent active ingredient: 53% endothol

Applicator: Murrett Cert. No. 061093

Remarks/follow-up: algae

### Precautionary Statement:

Warning-Pesticides can be harmful. Keep children and pets away from pesticide applications until dry, dissipated, or aerated. For more information contact Aquatic Consulting & Testing, Inc. at 480-921-8044 and ask for Dr. Rick Amalfi. AC&T License No. 4418 F. A. Amalfi QP#1360 Cert. No. 900496



# AQUATIC CONSULTING & TESTING, INC. 1525 West University Drive, Suite 106 Tempe, Arizona 85281

Phone: 480-921-8044 Fax 480-921-0049

## PESTICIDE TREATMENT NOTICE & RECORD

Client: The Oasis at Anozira

Attn: Debbie Tribioli

The Oasis at Anozira

C/O Kinney Management Services

6303 South Rural Road

Tempe, Az 85283

Location: Lake on Anozira Parkway

Date: 05-15-19	Time: 7:30	Conditions: X clear	pt cloudy	overcast	
		cold	mild	<u>hot</u>	

Material:	Reg. No. (*restricted)	Tot. Qty:	Acres/Volume:
Aquashade	33068-1	5.0 gal	33 Aft

Target Pest: algae Degree of infestation:

Application method/calculations:

Maintenance dose

Dosage/rate Percent active ingredient: 26 % dye

Applicator: A. Murrett Cert. No. 061093

Remarks/follow-up:

### **Precautionary Statement:**

Warning-Pesticides can be harmful. Keep children and pets away from pesticide applications until dry, dissipated, or aerated. For more information contact Aquatic Consulting & Testing, Inc. at 480-921-8044 and ask for Dr. Rick Amalfi. AC&T License No. 4418 F. A. Amalfi QP#1360 Cert. No. 900496



# AQUATIC CONSULTING & TESTING, INC. 1525 West University Drive, Suite 106 Tempe, Arizona 85281

Phone: 480-921-8044 Fax 480-921-0049

# **PESTICIDE TREATMENT NOTICE & RECORD**

Client: The Oasis at Anozira

Attn: Debbie Tribioli

The Oasis at Anozira

C/O Kinney Management Services

6303 South Rural Road

Tempe, Az 85283

Location: Lake on Anozira Parkway

Date: 05-22-19	Time: 7:30	Conditions: X clear	pt cloudy	overcast	
		cold	mild	<u>hot</u>	

Material:	Reg. No. (*restricted)	Tot. Qty:	Acres/Volume:
Aquashade	33068-1	2.5 gal	33 Aft
Tannat Bast		D (1 5 4 1)	

Target Pest: algae Degree of infestation:

Application method/calculations:

Maintenance dose

Dosage/rate Percent active ingredient: 26 % dye

Applicator: A. Murrett Cert. No. 061093

Remarks/follow-up:

### **Precautionary Statement:**

Warning-Pesticides can be harmful. Keep children and pets away from pesticide applications until dry, dissipated, or aerated. For more information contact Aquatic Consulting & Testing, Inc. at 480-921-8044 and ask for Dr. Rick Amalfi. AC&T License No. 4418 F. A. Amalfi QP#1360 Cert. No. 900496