AQUATIC CONSULTING & TESTING, INC.



1525 W. University Drive, Suite 106 P.O. Box 1510 Tempe, Arizona 85281 Phone: (480) 921-8044 • Fax: (480) 921-0049

Lic. No. AZ0003

25 July 2019

Ms. Debbie Tribioli
The Oasis at Anozira
c/o Kinney Management Services
6303 South Rural Road
Tempe, Arizona 85283


Ref: Oasis Lake, June 2019

Dear Ms. Tribioli:

The following report summarizes water quality data collected for Oasis Lake on 05 June 2019. Similar data have been reported each month and are used in this report to generate the graphs that are used for tracking changes in water quality. The report includes field data sheets summarizing weekly lake and mechanical system conditions during the month.

Chemical and Physical Composition

Temperature, Oxygen, and pH: Water temperature increased to 28.2 C (83 F) and the dissolved oxygen concentration was over 100 percent saturation (8.9 mg/L). Despite issues with the aeration system, the operation of the floating fountains helped maintain dissolved oxygen at a level that was more than satisfactory for the fishery.




The table below shows the USEPA criteria for dissolved oxygen in warm water fisheries.

| Criterion | Early life stages | Other life stages |
|---------------|-------------------|-------------------|
| Daily mean | >6.0 | >4.0 |
| Daily minimum | >5.0 | >3.0 |

Water temperature tolerance varies among fish species. However, the maximum weekly temperature tolerance of most common urban lake fish species is 32 to 35 C.


Turbidity: The turbidity of the lake water increased slightly (4.2 NTU), despite the algal density continuing to decrease. Water turbidity is also impacted by dissolved and particulate matter in the water, including storm water runoff and dye that is periodically added for algae and weed management. As turbidity increases, clarity decreases.



pH: The lake water pH steadily increased during the month, ranging from 8.3 to 9.0 SU. Water pH is influenced by the chemical makeup of the water and the amount of algae in the lake. In a very simplified explanation for the role of algae, carbonic acid in the water is formed from dissolution of carbon dioxide. Carbonic acid tends to make the water more acidic and pH

decreases. However, algae utilize carbon dioxide during photosynthesis during daylight, making less carbon dioxide available to form carbonic acid, and pH increases. The more algae present, the greater the increase in pH that usually occurs. Data indicate that increasing water temperatures supported additional algae growth through the end of the month.

High pH can be problematic in terms of toxicity if high concentrations of ammonia are present in the water. Ammonia is in equilibrium between two forms; ammonium ion and ammonia gas. At pH





concentrations above 9.0 SU and a water temperature increases, ammonia converts to the gas

which is toxic to many aquatic organisms. At the measured water temperatures and most frequently measured pH values, toxicity would not be expected to occur. No signs of fish stress were observed.

Nutrients: Nitrogen and phosphorus are the primary nutrients that stimulate algae and submerged plant growth. Phosphorus is typically the nutrient that dictates how much plant growth can be sustained in a lake. Usually if the total phosphorus concentration is below 0.030 mg/L, low levels of suspended algae occur. A nitrogen concentration of about 10 times the phosphorus (0.30 m/L) is typically needed to support algal growth.

The phosphorus concentration increased to 0.043 mg/L as P. The total nitrogen concentration also decreased slightly to 1.15 mg/L as N. Nitrate, immediately available to algal cells, was at a concentration of <0.05 mg/L. Usually a change in nutrient concentrations is reflected in changes in algae growth and density. In this case, a decrease in algae density did occur at the time of sampling in response to decreased nitrogen availability.





Biological Composition

Phytoplankton (algae): The amount and types of algae in a lake dictate the aesthetic and operational quality of the water. Algae density affects the clarity and color of the water, two very important aesthetic criteria. The species composition dictates the form of growth observed; floating mats, suspended cells, stringy attached filaments, etc. It also impacts the choice, frequency, and dosage of herbicides used for water quality management.

2016-2019 Algae Density (log-cells/mL)

The total algae density in the lake decreased slightly to 4.38×10^3 cells per mL, a density considered low for an urban reservoir in metro-Phoenix. Blue-green (Cyanophyta) filamentous algae (*Oscillatoria*) became the dominant form. Lake dye was added during the month to reduce algae growth.

Tests conducted through the month indicated no further presence of golden algae. The golden alga (*Prymnesium parvum*), produces toxins that rupture unprotected cells. The toxin release is believed to benefit golden algae by killing other species of algae, thereby making resources (nutrients) more available to the golden algae population. Unfortunately, the cells of fish gills are also unprotected because that is where oxygen absorption occurs. Thus, the toxin also results in asphyxiation of fish. Susceptibility to the toxin varies amongst fish species.




Midge flies: Midge flies are common inhabitants of most lakes. Adult females lay hundreds of eggs on the water surface. The eggs settle to the lake bottom and hatch in a few days. Larvae develop and grow in the superficial sediments over a three to four week period. In about 30 days the insect larvae become pupae, rise in the water column, and emerge as adult flies. The life cycle is shown diagrammatically below. Adults tend to swarm at dusk and dawn and become a nuisance. They fly into residents' eyes and mouths, congregate under eaves of

houses, and leave a sticky messy residue when they die. Management techniques may include stocking of bottom-feeding fishes to consume the larvae and/or application of bacterial or chemical larvicides. Because these fish have not been stocked for three years or more, a maintenance stocking of goldfish or sunfish is recommended.







Although water temperatures increased, few adult midge flies were detected during the month.

Fishery: No significant loss of fish occurred during the month.

Waterfowl: Ducks and geese can be a beautiful sight on a small urban pond or lake. They seem to make the lake look more like a natural lake than an artificial reservoir. They are fascinating creatures. However, when ducks and geese become too numerous, several lake management and aesthetic problems can develop. These problems are listed below.

- Bird wastes are unattractive and cause slippery conditions.
- Cleaning waste from sidewalks and turf is an additional maintenance item.
- Geese and other waterfowl can become aggressive toward humans.
- Waterfowl can damage turf areas.
- Waterfowl add nitrogen and phosphorus to the water.
- Bird wastes contain bacteria that are a health risk to humans and pets.
- Diving birds consume fish that are stocked in the lack for management purposes.

Arizona Game and Fish Department has developed the following criteria for waterfowl on small urban lakes.

| Excellent | <3/acre |
|-----------|----------|
| Good | 3-4/acre |
| Fair | 5-6/acre |
| Poor | >6/acre |

Based on the Arizona Game & Fish Department scale, the lake condition in terms of waterfowl has been in the "good to excellent" category. Cormorants were rarely observed during the month and Canada geese numbers appear to be approaching zero. Cormorants are diving birds that feed on small fish. Canada geese destroy turf and, along with other birds, contribute fecal matter to the common areas and water.





In terms of public health protection, the *E. coli* bacteria concentration was low (17 per 100 mL) and met the State full body contact (swimming) standard (maximum of 235 per 100 mL) and the incidental or partial body contact standard (maximum of 575 per 100 mL).


Mechanical Systems and Field Observations

Weekly field inspection forms are attached to this report. During the month of June, a new type of aeration system was being prepared and installed. The new system includes an oxygen generation system that discharges nano-bubbles of pure oxygen into the lake water. Numerous holes were detected in the air supply line around the lake when converted to deliver hyper-oxygenated water. This also explains why the aeration system was not providing enough pressure to the diffuser head assemblies. Three sets of temperature-oxygen depth profiles were collected to establish baseline conditions prior to startup of the nano-bubble aeration system.

An endothall-based algaecide was applied weekly to the three entry fountains.

Lake Report Card

The water quality data are summarized on the attached Oasis Lake Report Card. Each salient parameter has been qualitatively evaluated and then assigned a numeric value for quantitative comparison and tracking purposes. The June score was 44, a slight decrease compared to the score of 47 for May 2019. Change in algae composition was the primary reasons for the higher report card score.



Report card scores for the past three years have been graphically summarized above. Data still indicate a somewhat cyclic pattern and a long-term overall increasing trend in score.

Respectfully,

AQUATIC CONSULTING & TESTING, INC.

Frederick A. Amalfi, Ph.D., C.L.M.

Laboratory Director







FIELD INSPECTION FORMS



PESTICIDE APPLICATION DOCUMENTS

AQUATIC CONSULTING & TESTING, INC.

1525 W. University Drive, Suite 106 P.O. Box 1510 Tempe, Arizona 85281

Phone: (480) 921-8044 • Fax: (480) 921-0049

Lic. No. AZ0003

LABORATORY REPORT

Client: Oasis at Anozira

c/o Kinney Management Services

6303 S. Rural Road Tempe, Arizona 85283

Attn: Debbie Tribioli

Date Submitted: 06/05/19

Date Reported: 07/25/19

Project: Monthly Lake Monitoring

RESULTS

Client ID: Lake Sample Type: Surface Water ACT Lab No.: CB05203 Sample Time: 06/05/19 12:45

| | Analys | is Date | | | |
|-------------------------|--------------|------------|------------------|--------------|-------------|
| Parameter | <u>Start</u> | <u>End</u> | Method No. | Result | <u>Unit</u> |
| Algae Count | 07/22/19 | 07/22/19 | SM 10200 F | See Attached | cells/mL |
| Algae Identification | 07/22/19 | 07/22/19 | | See Attached | |
| Oxygen, Dissolved Field | 06/05/19 | 06/05/19 | SM4500 O G | 8.9 | mg/L as O2 |
| pH, Field | 06/05/19 | 06/05/19 | SM4500H+ B | 8.8 | SU |
| Temperature, Field | 06/05/19 | 06/05/19 | SM2550 B | 28.2 | С |
| Nitrate + Nitrite - N | 06/14/19 | 06/14/19 | SM4500NO3 E | <0.05 | mg/L as N |
| Phosphorus, Total | 06/19/19 | 06/20/19 | 365.3 | 0.043 | mg/L as P |
| Total Kjeldahl Nitrogen | 06/13/19 | 06/13/19 | SMNorg C,NH3 C/D | 1.1 | mg/L as N |
| E. coli, Colilert | 06/05/19 | 06/06/19 | SM 9223 B | 11 | MPN/100 mL |
| Turbidity | 06/05/19 | 06/05/19 | 180.1 | 4.2 | NTU |

Reviewed by:

Frederick A. Amalfi, Ph.D. **Laboratory Director**

ALGAE IDENTIFICATION

| AC&T Lab No. | CB05203 | Date Collected | 06/05/19 | |
|--------------|---------|----------------|----------|--|
| Client I.D. | Oasis | Collected By | AC&T | |
| | | - | | |

Divisions: bac=Bacillariophyta; chl=Chlorophyta; cry=Chrysophyta; cyn=Cyanophyta; eug=Euglenophyta; hap=Haptophyta; pyr=Pyrrhophyta

Forms: u=unicell; c=colony; f=filament; g= flagellate

| | Div | Rel. | Total | | | Div | Rel. | Total | |
|----------------|--------|-------|--------|-------|----------------|--------|-------|---------|--------|
| Genus | Form | Count | per mL | Comp. | Genus | Form | Count | per mL. | Comp |
| Achnanthes | bac-u | | | | Microcystis | cyn-c | | | |
| Anabaena | cyn-f | | | | Microspora | chl-f | | | |
| Ankistrodesmus | chl-u | 9 | 223 | 5.08% | Mougeotia | chl-f | | | |
| Aphanocapsa | cyn-c | | | | Navicula | bac-u | | | |
| Asterionella | bac-c | | | | Nitzschia | bac-u | | | |
| Botryococcus | chl-c | | | | Oocystis | chl-c | | | |
| Carteria | chl-ug | 2 | 50 | 1.13% | Oscillatoria | cyn-f | 55 | 1362 | 31.07% |
| Cephalomonas | chl-ug | | | | Pandorina | chl-cg | | | |
| Ceratium | pyr-ug | | | | Pediastrum | chl-c | 6 | 149 | 3.39% |
| Chlamydomonas | chl-ug | | | | Peridinium | pyr-ug | 1 | 25 | 0.56% |
| Chlorella | chl-u | 8 | 198 | 4.52% | Phacotus | chi-ug | | | |
| Chlorococcum | chl-c | | | | Phacus | chl-ug | | | |
| Chroococcus | cyn-c | 12 | 297 | 6.78% | Pinnularia | bac-u | | | |
| Chroomonas | crp-ug | | | | Pithophora | chl-f | | | |
| Closterium | chl-u | | | | Prymnesium | hap-ug | | | |
| Cocconeis | bac-u | | | | Rhizoclonium | chl-f | | | |
| Coelastrum | chl-c | | | | Rhoicosphenia | bac-u | | | |
| Cosmarium | chl-u | | | | Rhopalodia | bac-u | | | |
| Cosmocladium | chl-c | | | | Scenedesmus | chl-c | 50 | 1238 | 28.25% |
| Crucigenia | chl-c | | | | Scytonema | chl-f | | | |
| Cryptomonas | crp-ug | | | | Selanastrum | chl-u | | | |
| Cyclotella | bac-u | | | | Sphaerocystis | chl-c | | | |
| Cymbella | bac-u | | | | Spondylumorum | chl-c | | | |
| Diatoma | bac-u | | | | Spirulina | cyn-f | | | |
| Dinobryon | bac-c | | | | Stauroneis | bac-u | | | |
| Dunaliella | chi-u | | | | Stephanodiscus | bac-u | | | |
| Epithemia | bac-u | | | | Stigeoclonium | chl-f | | | |
| Euglena | eug-ug | | | | Surirella | bac-u | | | |
| Fragilaria | bac-u | | | | Synechococcus | cyn-u | | | |
| Frustulia | bac-u | | | | Synechocystis | cyn-c | | | |
| Glenodinium | pyr-ug | | | | Synedra | bac-u | 3 | 74 | 1.69% |
| Golenkinia | chl-c | 4 | 99 | 2.26% | Synura | cry-cg | | | |
| Gomphonema | bac-u | | | | Tetraedron | chl-u | 27 | 669 | 15.25% |
| Gonium | chl-cg | | | | Tetrastrum | chl-c | | | |
| Gonyaulax | pyr-ug | | | | Trachelomonas | eug-ug | | | |
| Gyrosigma | bac-u | | | | Vaucheria | chl-f | | | |
| Hydrodictyon | chl-c | | | | Volvox | chl-cg | | | |
| Lyngbya | cyn-f | | | | Zygnema | chl-f | | | |
| Melosira | bac-f | | | | , , | | | | |
| Meridion | bac-u | | | | | | | | |
| Merismopedia | cyn-c | | | | | | | | |

Aquatic Consulting & Testing, Inc.

1525 W. University Dr., Suite 106
Tempe, Arizona 85281

Count (cells/mL) 4.38E+03

check 100.00%

OASIS LAKE REPORT CARD

| SCORE 44 | SCORE 47 |
|-----------------------|-----------------------|
| Jun-19 CONDITION GOOD | May-19 CONDITION GOOD |
| DATE OF EVALUATION: | PREVIOUS EVALUATION: |

| | | | 4 pts | 3 pts | 2 pts | 1 pt | |
|----------------------------------|-------------------------|--|---|--|--|--|-------|
| CONDITION | RESULT | RATIONALE | EXCELLENT | GOOD | FAIR | POOR | SCORE |
| Turbidity (NTU) | 4.2 | aesthetics | <5 | 5-10 | 11-20 | >20 | 4 |
| Dissolved oxygen (mg/L) | >7 | aquatic life, sediment nutrient release, odors | >7.0 | 5.6-6.9 | 4.0-5.5 | <4.0 | 4 |
| Nitrogen, total (mg/L) | 1.15 | algae and macrophyte growth | <0.5 | 0.5-1.0 | 1.1-2.0 | >2.0 | 2 |
| Phosphorus, total (mg/L) | 0.043 | algae and macrophyte growth | <0.03 | 0.03-0.05 | 0.06-0.10 | >0.10 | က |
| Algae density (no./mL) | 4.38 x 10 ³ | aesthetics | <5 × 10 ⁴ | 5x10 ⁴ - 9x10 ⁴ | 1 x 10 ⁵ -5x 10 ⁶ | >5 x 10 ⁵ | 4 |
| Algae form (dominant) | bluegreen filament | aesthetics, treatability | greens; no floating mats | diatoms; no floating mats | blue-greens; no floating mats | blue-greens; floating mats common | 2 |
| Macrophytes (% cover) | <1 | aesthetics, boating | none | <10% | 11-20% | >50% | 4 |
| pH (SU) avg. | 8.8 | swimming, fishery, ammonia toxicity | 6.5-8.0 | 8.0-8.5 | 8.6-9.0 | >9.0 | 2 |
| E. coli bacteria (#/100 mL) avg. | 11 | public health protection | <20 | 21-80 | 81-125 | >125 | 4 |
| Midge flies | no nuisances | quality of life | no nuisances | minor nuisances | moderate nuisances | significant nuisances | 4 |
| Waterfowl (no. per acre) | 2 | nutrient and bacteria loading | <2 | 2-5 | 6-10 | >10. | 3 |
| Fishery | normal | recreation, aesthetics | no fish piping; no fish kills | some fish piping, gulping; no fish kills | fish piping before dawn; occasional fish kills | fish piping common; fish kills common | 4 |
| Shoreline/banks | limited edge growths | aesthetics | no evidence of salt crusts or algal scums | some white deposits and scums | numerous patches of salt deposits and algae scums | most of lake shore covered with crusts or scums | 4 |

| >- | |
|----|--|
| Ш | |
| ¥ | |
| O | |
| Z | |
| | |
| CC | |
| 0 | |
| Ö | |
| Ñ | |

| Poor | <30 |
|-----------|-------|
| Fair | 30-35 |
| Good | 36-41 |
| Excellent | 42-48 |

Definitions: Ratings

Excellent: Lake aesthetic and operational conditions above level of expectation. Good: Lake aesthetic and operational conditions at le level of expectation. Fair: Lake aesthetic and operational conditions slightly below level of expectation.

Pair: Lane gestingto and operational conditions considerably below level of expectation. Poor: Lake aesthetic and operational conditions considerably below level of expectation.

Definitions: Terms

pH: -log hydrogen ion conc.; amount of acid in the water identified on scale 1-14; 1 being most acid, 7 neutral, and 14 being most caustic. N/A: not applicable; insufficient data or too early in development of lake (an arbitrary 3 rating is provided for these items), Macrophyte: Large plant, observable without the aid of a microscope, that may be floating, submerged or emergent. Midge: Small, flying, non-biting "gnat-like" insect whose larval stage exists in the lake sediments (bloodworm). Phytoplankton (algae): Microscopic plant fraction of the plankton community.

Piping: Act of fish coming to surface of water and capturing a bubble of air in their mouth; a sign of low oxygen concentrations. Plankton: Organisms of relatively small size that have relatively small powers of locomotion or that drift in the water. Furbidity: Degree to which particles and color in the water scatter light; the "cloudiness" of the water.

Laboratory Sample Identification AC&T Page1 of 1 (,8-05203 Monthly Lake Monitoring 3. RELINQUISHED BY: Oasis at Anozira 4. RECEIVED BY: JTime: Other: sjoßny Sample Containers # / Preservation: Client Project Info: H2SO4 (Sulfuric) HNO3 (Nitric) 2 Na2S2O3 (Sterile) Print Name: Print Name: Signature: Signature SO ,qmaT ,Hq × Field Measurements: Golden Algae Algae Count & ID × 1355 pm **Chain of Custody** 1. RELINQUISHED BY: Turbidity 2. RECEIVED BY: × Mohnsen Total E.Coli -MPN × Signature: MJJ Total Kjeldahl Nitrogen (TKN) × Print Name: Print Name Total Phosphorous (P-T) × Signature × NO3+NO2 WET BLUE う。たる YES (O (E) NO SW A C & T Sample Receipt: 2 YES Aquatic Consulting & Testing, Inc. AC&T Client Reporting Information: Fotal # Containers: Sample Receipt Temperature: Samples On Ice: Custody Seals: Samples Intact: Ice Type: c/o Kinney Management Services RIEN (480) 921-8044 Fax (480) 921-0049 Date: 1525 W. University Dr. Ste. #106 E: debbie@kinneymanagement.com 6303 South Rural Road Attn: Debbie Tribioli Tempe, Arizona 85281 Tempe, AAZ 85283 AC&T Sampler: Oasis at Anozira Presol Project Location: Sample Location ID: Oasis at Anozira P: 480-820-3451 Lake Contract Lake #0d

OASIS AT ANOZIRA FIELD INSPECTION FORM

wpdoc/lists&forms)

| | / | // | 1 | 1 | ~I |
|-------|---|----|---|----|----|
| Date: | 0 | 15 | | 10 | 1 |
| Ву: | | 1 | V | 1 | |

□ Golden algae (seasonal)

| Date: By: |
|---|
| Aeration System Operation Lake Surface |
| □ operational problem □ Lake surface cleaning |
| Details: ANCO VERAN |
| |
| Floating Fountains West East South |
| perational Problem Details: |
| Pump house housekeeping leaks ventilation lighting Notes |
| Compressors operational - Problem Details: 5 but Well Told |
| Pumps operational Problem Details: |
| Entry Fountains |
| Elliot North: poperational Screens cleared Problem Details: Hydrothol |
| |
| Elliot South: operational of Screens cleared on Problem Details: |
| |
| Las Falina Avantianal Avanta alasand - Problem Patailas |
| Los Feliz: e operational Screens cleared Details: |
| |
| Monthly Chemistry & Biology Dissolved oxygen Premperature DH Algae ID and count Organic N (TKN) Phosphorus Turbidity |
| E. coli |

OASIS AT ANOZIRA FIELD INSPECTION FORM (

| Date: <u>6/12/1</u> 8 By: <u>3P N</u> | wpdoc/li | ists&forms) |
|--|-------------------------------|--|
| By: 3PH | | |
| Aeration System | Operation | Lake Surface |
| □ operational □ | Problem | □ Lake surface cleaning |
| Details: Beau | REPATRED | |
| : | | |
| Floating Fountain | ns ≾ West ۾ East 🦒 South | |
| 🏿 operational 🛚 | Problem Details: | |
| Pump house | | ventilation □ lighting Notes |
| Compressors | ъ operational □ Problem | Details: |
| Pumps | ழ் operational □ Problem | Details: |
| Entry Fountains | | |
| Elliot North: 🥱 o | pperational 🛭 Screens cleared | □ Problem Details: |
| | | 2 |
| Elliot South: a | pperational 🎘 Screens cleared | □ Problem Details: |
| | | , |
| Los Feliz: 🗑 🗑 | pperational > Screens cleared | □ Problem Details: |
| 92 | | (- |
| Monthly Chemist | ry & Biology | |
| ☼ Dissolved oxyge | en <u>Almyl</u> | A STATE OF THE STA |
| ★ Temperature ★ □ | 8.4 | |
| pH □ Algae ID and co □ | | |
| □ Ammonia-N | N. A. | |
| □ Organic N (TKN | 1) | |
| □ Phosphorus | 3 | |
| □ Turbidity □ <i>E. coli</i> | | |
| □ Golden algae (s | seasonal) | |

OASIS AT ANOZIRA FIELD INSPECTION FORM (

wpdoc/lists&forms)

| _ | [120/10 | |
|-------|---------|--|
| Date: | D/2019 | |
| Ву: | mi | |

| By: | |
|---|--------------------------------|
| Aeration System Operation | Lake Surface |
| □ operational Problem | □ Lake surface cleaning |
| Details: Under Repail | |
| | |
| Floating Fountains West East South | |
| □ operational □ Problem Details: | |
| | □ ventilation □ lighting Notes |
| | |
| Compressors operational operational operational | Details: |
| Pumps operational operational operational | Details: |
| Entry Fountains | |
| Elliot North: poperational Screens cleared | □ Problem Details: |
| | · |
| Elliot South: poperational Screens cleared | □ Problem Details: |
| | 1 Toblem Details. |
| | |
| Los Feliz: operational Screens cleared | □ Problem Details: |
| | |
| Monthly Chemistry & Biology | |
| Dissolved oxygen | |
| Temperature 90.6 | |
| □ Algae ID and count | N DE |

□ Ammonia-N

□ Organic N (TKN)

□ Phosphorus

□ Turbidity

□ E. coli

□ Golden algae (seasonal)






OASIS AT ANOZIRA FIELD INSPECTION FORM (

| Date: | 6/26/19 |
|-------|---------|
| Ву: | 'Whi |

□ E. coli

□ Golden algae (seasonal)

| Date: 6/16/19 By: |
|--|
| Aeration System Operation Lake Surface |
| □ operational Problem □ Lake surface cleaning □ |
| Details: The Poul Die Liston |
| New System Deing installed |
| Floating Fountains (West East South |
| perational problem Details: |
| Pump house □ housekeeping □ leaks □ ventilation □ lighting Notes |
| Compressors operational Problem Details: |
| Pumps |
| Entry Fountains H A Ha |
| Elliot North: poperational paragraph Screens cleared problem Details: Hydrotho |
| Elliot South: poperational pope |
| Los Feliz: operational Screens cleared Problem Details: |
| Monthly Chemistry & Biology Dissolved oxygen Temperature pH Algae ID and count |
| □ Ammonia-N □ Organic N (TKN) □ Phosphorus □ Turbidity |







AQUATIC CONSULTING & TESTING, INC. 1525 West University Drive, Suite 106 Tempe, Arizona 85281

Phone: 480-921-8044 Fax 480-921-0049

PESTICIDE TREATMENT NOTICE & RECORD

Client: The Oasis at Anozira

Attn: Debbie Tribioli

The Oasis at Anozira

C/O Kinney Management Services

6303 South Rural Road

Tempe, Az 85283

Location: Entry features (May)

Date: 06-05-19 Time: 09:00 Conditions: X clear pt cloudy overcast cold X mild mild

| Material: | Reg. No. (*restricted) | Tot. Qty: | Acres/Volume: |
|--------------|------------------------|--------------------|---------------|
| Hydrothol | 4581-174 | 1 quart | 0.03 Aft |
| | | | |
| | | | |
| Target Pest: | algae | Degree of infestat | ion: low |

Application method/calculations:

 $2.25 \text{ G/Aft} \times 0.03 \text{ Aft} = 0.0675 \text{ Gal} (0.5 \text{ pt})$

Dosage/rate 1.5 ppm Percent active ingredient: 53% endothol

Applicator: Murrett Cert. No. 061093

Remarks/follow-up: algae

Precautionary Statement:

Warning-Pesticides can be harmful. Keep children and pets away from pesticide applications until dry, dissipated, or aerated. For more information contact Aquatic Consulting & Testing, Inc. at 480-921-8044 and ask for Dr. Rick Amalfi. AC&T License No. 4418 F. A. Amalfi QP#1360 Cert. No. 900496



AQUATIC CONSULTING & TESTING, INC. 1525 West University Drive, Suite 106

Tempe, Arizona 85281

Phone: 480-921-8044 Fax 480-921-0049

PESTICIDE TREATMENT NOTICE & RECORD

| Client: The Oasis at Ano |)zıra |
|--------------------------|-------|
|--------------------------|-------|

Attn: Debbie Tribioli

The Oasis at Anozira

C/O Kinney Management Services

6303 South Rural Road

Tempe, Az 85283

| Date: 06-19-19 | Time: 7:30 | Conditions: X clear | pt cloudy | overcast | |
|----------------|------------|---------------------|-----------|------------|--|
| | | cold | mild | <u>hot</u> | |

| Material: Reg. No. (*restricted) | Tot. Qty: | Acres/Volume: |
|----------------------------------|-----------|---------------|
| Pond Dye | 2.5 gal | 33 Aft |
| | | |
| | | |
| | | |

Target Pest: algae Degree of infestation:

Application method/calculations:

Maintenance dose

Dosage/rate Percent active ingredient: 26 % dye

Applicator: A. Murrett Cert. No. 061093

Remarks/follow-up:

Precautionary Statement:

Warning-Pesticides can be harmful. Keep children and pets away from pesticide applications until dry, dissipated, or aerated. For more information contact Aquatic Consulting & Testing, Inc. at 480-921-8044 and ask for Dr. Rick Amalfi. AC&T License No. 4418 F. A. Amalfi QP#1360 Cert. No. 900496



AQUATIC CONSULTING & TESTING, INC. 1525 West University Drive, Suite 106

Tempe, Arizona 85281

Location: Lake on Anozira Parkway

Phone: 480-921-8044 Fax 480-921-0049

PESTICIDE TREATMENT NOTICE & RECORD

| Cli | ient: The Oasis at Anozira | |
|-----|--------------------------------|--|
| At | tn: Debbie Tribioli | |
| | The Oasis at Anozira | |
| | C/O Kinney Management Services | |
| | 6303 South Rural Road | |
| | Tempe, Az 85283 | |
| | | |

| Date: 06-26-19 | Time: 7:30 | Conditions: X clear | pt cloudy | overcast | |
|----------------|------------|---------------------|-----------|----------|--|
| | | cold | mild | hot | |

| Material: | Reg. No. (*restricted) | Tot. Qty: | Acres/Volume: |
|-------------|------------------------|-----------------------|---------------|
| Pond Dye | | 2.5 gal | · 33 Aft |
| | | | |
| T = | | | |
| Target Pest | : algae | Degree of infestation | on: |

Degree of infestation: Application method/calculations: Maintenance dose Dosage/rate Percent active ingredient: 26 % dye

> Applicator: A. Murrett Cert. No. 061093

Remarks/follow-up:

Precautionary Statement:

Warning-Pesticides can be harmful. Keep children and pets away from pesticide applications until dry, dissipated, or aerated. For more information contact Aquatic Consulting & Testing, Inc. at 480-921-8044 and ask for Dr. Rick Amalfi. AC&T License No. 4418 F. A. Amalfi QP#1360 Cert. No. 900496



AQUATIC CONSULTING & TESTING, INC. 1525 West University Drive, Suite 106

Tempe, Arizona 85281

Phone: 480-921-8044 Fax 480-921-0049

PESTICIDE TREATMENT NOTICE & RECORD

Client: The Oasis at Anozira

Attn: Debbie Tribioli

The Oasis at Anozira

C/O Kinney Management Services

6303 South Rural Road

Tempe, Az 85283

Location: Entry features (June)

Date: 06-26-19 Time: 09:00 Conditions: X clear pt cloudy overcast cold X mild mild

| Material: | Reg. No. (*restricted) | Tot. Qty: | Acres/Volume: |
|--------------------|------------------------|----------------------------|---------------|
| Hydrothol | 4581-174 | 1 quart | 0.03 Aft |
| | | | |
| | | | |
| Target Pest: algae | | Degree of infestation: low | |

Application method/calculations:

 $2.25 \text{ G/Aft} \times 0.03 \text{ Aft} = 0.0675 \text{ Gal} (0.5 \text{ pt})$

Dosage/rate 1.5 ppm Percent active ingredient: 53% endothol

Applicator: Murrett Cert. No. 061093

Remarks/follow-up: algae

Precautionary Statement:

Warning-Pesticides can be harmful. Keep children and pets away from pesticide applications until dry, dissipated, or aerated. For more information contact Aquatic Consulting & Testing, Inc. at 480-921-8044 and ask for Dr. Rick Amalfi. AC&T License No. 4418 F. A. Amalfi QP#1360 Cert. No. 900496